

TABLE 73

UNITED STATES, BIRTH COHORT OF 1991

(LIVE BIRTHS AND INFANT DEATHS ARE BY STATE OF RESIDENCE AT BIRTH EXCEPT WHERE NOTED. UNITED STATES EXCLUDES PUERTO RICO AND THE VIRGIN ISLANDS. INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS.)

(RATES ARE PER 100,000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE.)

RACE OF MOTHER = TOTAL /1

INFANT MORTALITY RATES BY CAUSE OF DEATH AND WEIGHT

		ALL BIRTH	LESS THAN	1500-		NOT
		WEIGHTS	1500 GM	2499 GM	2500 GM +	STATED
RESIDENTS	LIVE	4111059	53075	239248	3813959	4777
	BIRTHS	100000.0	100000.0	100000.0	100000.0	100000.0
DEATH RATE						
RESIDENTS	ALL CAUSES	35496	15842	5212	13261	1181
	DEATH RATE	863.4	29848.3	2178.5	347.7	24722.6
RESIDENTS	CERTAIN INTESTINAL INFECTIONS	008-009	134	94	13	27
	DEATH RATE		3.3	177.1	5.4	0.7
RESIDENTS	WHOOPING COUGH	033	1			1
	DEATH RATE		0.0			0.0
RESIDENTS	MENINGOCOCCAL INFECTION	036	42	3	4	35
	DEATH RATE		1.0	5.7	1.7	0.9
RESIDENTS	SEPTICEMIA	038	247	119	31	96
	DEATH RATE		6.0	224.2	13.0	2.5
						20.9

DEATH RATE

VIRAL DISEASES	045-079	138	17	30	90	1
RESIDENTS		3.4	32.0	12.5	2.4	20.9

DEATH RATE

CONGENITAL SYPHILIS	090	24	12	9	2	1
RESIDENTS		0.6	22.6	3.8	0.1	20.9

DEATH RATE

REMAINDER INFECT. & PARASITIC DIS.	001...139	253	81	57	114	1
RESIDENTS		6.2	152.6	23.8	3.0	20.9

DEATH RATE

MALIGNANT NEOPLASMS	140-208	88	4	8	76	
RESIDENTS		2.1	7.5	3.3	2.0	

DEATH RATE

BENIGN NEOPLASMS	210-239	65	7	9	48	1
RESIDENTS		1.6	13.2	3.8	1.3	20.9

DEATH RATE

DISEASES OF THYMUS GLAND	254	3			3	
RESIDENTS		0.1			0.1	

DEATH RATE

CYSTIC FIBROSIS	277.0	9	1	3	5	
RESIDENTS		0.2	1.9	1.3	0.1	

DEATH RATE

DISEASES OF BLOOD	280-289	100	20	26	53	1
RESIDENTS		2.4	37.7	10.9	1.4	20.9

DEATH RATE

MENINGITIS	320-322	127	22	24	79	2
RESIDENTS		3.1	41.5	10.0	2.1	41.9

DEATH RATE

OTHER DISEASES OF NERVOUS SYSTEM	323-389	452	40	84	323	5
RESIDENTS		11.0	75.4	35.1	8.5	104.7

DEATH RATE

ACUTE UPPER RESP. INFECTIONS	460-465	49	2	7	39	1
RESIDENTS		1.2	3.8	2.9	1.0	20.9

DEATH RATE

BRONCHI T I S AND BRONCHI OLI T I S	466, 490-491	133	12	25	96	
RESI DENTS		3. 2	22. 6	10. 4	2. 5	
DEATH RATE						
PNEUMONI A AND I NFLUENZA	480-487	609	108	115	384	2
RESI DENTS		14. 8	203. 5	48. 1	10. 1	41. 9
DEATH RATE						
PNEUMONI A	480-486	596	106	113	375	2
RESI DENTS		14. 5	199. 7	47. 2	9. 8	41. 9
DEATH RATE						

8 APR 1996

PAGE 2

TABLE 73

UNITED STATES, BIRTH COHORT OF 1991

(LIVE BIRTHS AND INFANT DEATHS ARE BY STATE OF RESIDENCE AT BIRTH EXCEPT WHERE NOTED. UNITED STATES EXCLUDES PUERTO RICO AND THE VIRGIN ISLANDS. INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS.)

(RATES ARE PER 100,000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE.)

RACE OF MOTHER = TOTAL /1

INFANT MORTALITY RATES BY CAUSE OF DEATH AND WEIGHT

		ALL BIRTH WEIGHTS	LESS THAN 1500 GM	1500- 2499 GM	2500 GM +	NOT STATED
I NFLUENZA	487	13	2	2	9	
RESI DENTS		0. 3	3. 8	0. 8	0. 2	
DEATH RATE						
REMAI NDER RESP. SYSTEM DI SEASES	470-478, 492-519	345	104	62	179	
RESI DENTS		8. 4	195. 9	25. 9	4. 7	
DEATH RATE						
ABDOM. CAVI TY HERNIA & INTES. OBSTR.	550-553, 560	84	11	21	49	3
RESI DENTS						

DEATH RATE		2.0	20.7	8.8	1.3	62.8
GASTR. , DUODENITIS, ENTERITIS, COLITIS	535, 555-558	129	46	22	61	
RESIDENTS		3.1	86.7	9.2	1.6	
DEATH RATE						
REMAINDER DIGESTIVE SYSTEM DISEASES	520. . . 579	175	68	29	74	4
RESIDENTS		4.3	128.1	12.1	1.9	83.7
DEATH RATE						
CONGENITAL ANOMALIES	740-759	7468	1479	2277	3543	169
RESIDENTS		181.7	2786.6	951.7	92.9	3537.8
DEATH RATE						
ANENCEPHALUS & SIM. ANOMALIES	740	474	179	150	115	30
RESIDENTS		11.5	337.3	62.7	3.0	628.0
DEATH RATE						
SPI N A B I F I D A	741	48	14	8	25	1
RESIDENTS		1.2	26.4	3.3	0.7	20.9
DEATH RATE						
CONGENITAL HYDROCEPHALUS	742.3	175	43	34	97	1
RESIDENTS		4.3	81.0	14.2	2.5	20.9
DEATH RATE						
OTHER CONGEN. ANOMALIES CNS & EYE	742.0. . . 743	320	48	112	152	8
RESIDENTS		7.8	90.4	46.8	4.0	167.5
DEATH RATE						

1/ TOTAL INCLUDES RACES OTHER THAN WHITE AND BLACK

TABLE 73

UNITED STATES, BIRTH COHORT OF 1991

(LIVE BIRTHS AND INFANT DEATHS ARE BY STATE OF RESIDENCE AT BIRTH EXCEPT WHERE NOTED. UNITED STATES EXCLUDES PUERTO RICO AND THE VIRGIN ISLANDS. INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS.)

(RATES ARE PER 100,000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE.)

RACE OF MOTHER = TOTAL /1

INFANT MORTALITY RATES BY CAUSE OF DEATH AND WEIGHT

			ALL BIRTH	LESS THAN	1500-		NOT
			WEIGHTS	1500 GM	2499 GM	2500 GM +	STATED
RESIDENTS	CONGENITAL ANOMALIES OF HEART	745-746	2307	143	452	1691	21
	DEATH RATE		56.1	269.4	188.9	44.3	439.6
RESIDENTS	OTHER CONGEN. ANOMALIES CIRCULATORY SYS.	747	488	52	107	323	6
	DEATH RATE		11.9	98.0	44.7	8.5	125.6
RESIDENTS	CONGEN. ANOMALIES OF RESPIRATORY SYS.	748	1019	411	289	285	34
	DEATH RATE		24.8	774.4	120.8	7.5	711.7
RESIDENTS	CONGEN. ANOMALIES OF DIGESTIVE SYS.	749-751	122	18	45	56	3
	DEATH RATE		3.0	33.9	18.8	1.5	62.8
RESIDENTS	CONGEN. ANOMALIES OF GENITOURINARY SYS	752-753	424	111	207	96	10
	DEATH RATE		10.3	209.1	86.5	2.5	209.3
RESIDENTS	CONGEN. ANOMALIES MUSCULOSKELETAL SYS.	754-756	499	52	186	241	20
	DEATH RATE		12.1	98.0	77.7	6.3	418.7

DEATH RATE

DOWN' S SYNDROME	758.0	113	28	34	48	3
RESI DENTS		2. 7	52. 8	14. 2	1. 3	62. 8

DEATH RATE

OTHER CHROMOSOMAL ANOMALI ES	758. 1-758. 9	857	192	428	217	20
RESI DENTS		20. 8	361. 8	178. 9	5. 7	418. 7

DEATH RATE

OTHER & UNSPEC. CONGEN. ANOMALI ES	744, 757, 759	622	188	225	197	12
RESI DENTS		15. 1	354. 2	94. 0	5. 2	251. 2

DEATH RATE

CERTAIN COND. ORIG. IN PERI NATAL PERI OD	760-779	16050	12805	982	1334	929
RESI DENTS		390. 4	24126. 2	410. 5	35. 0	19447. 4

DEATH RATE

AFFECTED BY MATERNAL COND. UNREL. TO PREG.	760	182	117	26	26	13
RESI DENTS		4. 4	220. 4	10. 9	0. 7	272. 1

DEATH RATE

AFFECTED BY MATERNAL PREG. COMPLI CATIONS	761	1500	1303	26	31	140
RESI DENTS		36. 5	2455. 0	10. 9	0. 8	2930. 7

DEATH RATE

AFFECTED BY COMPL. PLACENTA, CORD, MEMBRANES	762	914	690	54	83	87
RESI DENTS		22. 2	1300. 0	22. 6	2. 2	1821. 2

DEATH RATE

AFFECTED BY OTHER COMPL. OF LABOR & DEL.	763	80	35	10	30	5
RESI DENTS		1. 9	65. 9	4. 2	0. 8	104. 7

DEATH RATE

SLOW FETAL GROWTH & FETAL MALNUTRI TION	764	29	27	1	1	
RESI DENTS		0. 7	50. 9	0. 4	0. 0	

DEATH RATE

DI SORDERS REL. TO SHORT GES. & LBW	765	3981	3522	32	38	389
RESI DENTS		96. 8	6635. 9	13. 4	1. 0	8143. 2

DEATH RATE

DI SORDERS REL. TO LONG GES. & HIGH BW	766					
RESI DENTS						

DEATH RATE

BIRTH TRAUMA	767	198	118	31	42	7
RESIDENTS		4.8	222.3	13.0	1.1	146.5
DEATH RATE						
INTRAUTERINE HYPOXIA & BIRTH ASPHYXIA	768	596	195	87	282	32
RESIDENTS		14.5	367.4	36.4	7.4	669.9
DEATH RATE						
FETAL DISTRESS IN LIVEBORN INF.	768.2-768.4					
RESIDENTS						
DEATH RATE						

PAGE 4

8 APR 1996

TABLE 73

UNITED STATES, BIRTH COHORT OF 1991

(LIVE BIRTHS AND INFANT DEATHS ARE BY STATE OF RESIDENCE AT BIRTH EXCEPT WHERE NOTED. UNITED STATES EXCLUDES PUERTO RICO AND THE VIRGIN ISLANDS. INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS.)

(RATES ARE PER 100,000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE.)

RACE OF MOTHER = TOTAL /1

INFANT MORTALITY RATES BY CAUSE OF DEATH AND WEIGHT

		ALL BIRTH WEIGHTS	LESS THAN 1500 GM	1500- 2499 GM	2500 GM +	NOT STATED
BIRTH ASPHYXIA	768.5-768.9					
RESIDENTS						
DEATH RATE						
RESPIRATORY DISTRESS SYNDROME	769	2487	2224	145	76	42
RESIDENTS		60.5	4190.3	60.6	2.0	879.2
DEATH RATE						
OTHER RESPIRATORY COND. OF NEWBORN	770	2601	2137	132	227	105

RESIDENTS		63.3	4026.4	55.2	6.0	2198.0
DEATH RATE						
INFECTIONS SPEC. TO PERINATAL PERIOD	771	867	490	156	209	12
RESIDENTS		21.1	923.2	65.2	5.5	251.2
DEATH RATE						
NEONATAL HEMORRHAGE	772	320	265	20	25	10
RESIDENTS		7.8	499.3	8.4	0.7	209.3
DEATH RATE						
HEMOLYTIC DISEASE OF NEWBORN	773-774	46	12	12	21	1
RESIDENTS		1.1	22.6	5.0	0.6	20.9
DEATH RATE						
SYNDR. "INFANT OF DIABETIC MOTHER"	775.0-775.1	10	3	1	6	
RESIDENTS		0.2	5.7	0.4	0.2	
DEATH RATE						
HEMORRHAGIC DISEASE OF NEWBORN	776.0	4	3		1	
RESIDENTS		0.1	5.7		0.0	
DEATH RATE						
ALL OTHER COND ORIG PERINATAL PER	775.2...779	2235	1664	249	236	86
RESIDENTS		54.4	3135.2	104.1	6.2	1800.3
DEATH RATE						
SYMPTOMS, SIGNS, & ILL-DEFINED COND.	780-799	6054	296	969	4768	21
RESIDENTS		147.3	557.7	405.0	125.0	439.6
DEATH RATE						

1/ TOTAL INCLUDES RACES OTHER THAN WHITE AND BLACK

TABLE 73

UNITED STATES, BIRTH COHORT OF 1991

(LIVE BIRTHS AND INFANT DEATHS ARE BY STATE OF RESIDENCE AT BIRTH EXCEPT WHERE NOTED. UNITED STATES EXCLUDES PUERTO RICO AND THE VIRGIN ISLANDS. INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS.)

(RATES ARE PER 100,000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE.)

RACE OF MOTHER = TOTAL /1

INFANT MORTALITY RATES BY CAUSE OF DEATH AND WEIGHT

			ALL BIRTH	LESS THAN	1500-		NOT
			WEIGHTS	1500 GM	2499 GM	2500 GM +	STATED
RESIDENTS	SUDDEN INFANT DEATH SYNDROME	798.0	5154	190	817	4138	9
	DEATH RATE		125.4	358.0	341.5	108.5	188.4
RESIDENTS	SYMP, SIGNS & ALL OTHER ILL-DEF COND	780...799	900	106	152	630	12
	DEATH RATE		21.9	199.7	63.5	16.5	251.2
RESIDENTS	ACCIDENTS AND ADVERSE EFFECTS	E800-E949	833	45	85	697	6
	DEATH RATE		20.3	84.8	35.5	18.3	125.6
RESIDENTS	INHAL, INGES. CAUSING RESP TRACT OBST	E911-E912	117	11	17	88	1
	DEATH RATE		2.8	20.7	7.1	2.3	20.9
RESIDENTS	ACCIDENTAL MECHANICAL SUFFOCATION	E913	229	6	21	202	
	DEATH RATE		5.6	11.3	8.8	5.3	
RESIDENTS	OTHER ACCID. CAUSES & ADVERSE EFF	E800...E949	487	28	47	407	5
			11.8	52.8	19.6	10.7	104.7

DEATH RATE

HOMI CI DE	E960-E969	323	13	40	260	10
RESI DENTS		7. 9	24. 5	16. 7	6. 8	209. 3
DEATH RATE						

CHI LD BATTERI NG & OTHER MALTREATMENT	E967	129	3	15	111	
RESI DENTS		3. 1	5. 7	6. 3	2. 9	
DEATH RATE						

OTHER HOMI CI DE	E960-E966, E968-E969	194	10	25	149	10
RESI DENTS		4. 7	18. 8	10. 4	3. 9	209. 3
DEATH RATE						

ALL OTHER CAUSES	RESI DUAL	1561	433	280	825	23
RESI DENTS		38. 0	815. 8	117. 0	21. 6	481. 5
DEATH RATE						

1/ TOTAL I NCLUDES RACES OTHER THAN WHI TE AND BLACK

TABLE 73

UNITED STATES, BIRTH COHORT OF 1991

(LIVE BIRTHS AND INFANT DEATHS ARE BY STATE OF RESIDENCE AT BIRTH EXCEPT WHERE NOTED. UNITED STATES EXCLUDES PUERTO RICO AND THE VIRGIN ISLANDS. INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS.)

(RATES ARE PER 100,000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE.)

RACE OF MOTHER = WHITE

INFANT MORTALITY RATES BY CAUSE OF DEATH AND WEIGHT

		ALL BIRTH WEIGHTS	LESS THAN 1500 GM	1500- 2499 GM	2500 GM +	NOT STATED
RESIDENTS	LIVE BIRTHS	3241355	31200	156658	3050056	3441
DEATH RATE		100000.0	100000.0	100000.0	100000.0	100000.0
RESIDENTS	ALL CAUSES	22875	9161	3483	9510	721
DEATH RATE		705.7	29362.2	2223.3	311.8	20953.2
RESIDENTS	CERTAIN INTESTINAL INFECTIONS	008-009	67	43	7	17
DEATH RATE			2.1	137.8	4.5	0.6
RESIDENTS	WHOOPING COUGH	033				
DEATH RATE						
RESIDENTS	MENINGOCOCCAL INFECTION	036	36	3	3	30
DEATH RATE			1.1	9.6	1.9	1.0
RESIDENTS	SEPTICEMIA	038	131	59	20	52
DEATH RATE			4.0	189.1	12.8	1.7

DEATH RATE

RESIDENTS	045-079	100	11	15	73	1
DEATH RATE		3.1	35.3	9.6	2.4	29.1

RESIDENTS	090	3	2			1
DEATH RATE		0.1	6.4			29.1

RESIDENTS	001...139	121	31	29	60	1
DEATH RATE		3.7	99.4	18.5	2.0	29.1

RESIDENTS	140-208	67	2	4	61	
DEATH RATE		2.1	6.4	2.6	2.0	

RESIDENTS	210-239	47	7	7	32	1
DEATH RATE		1.5	22.4	4.5	1.0	29.1

RESIDENTS	254	3			3	
DEATH RATE		0.1			0.1	

RESIDENTS	277.0	9	1	3	5	
DEATH RATE		0.3	3.2	1.9	0.2	

RESIDENTS	280-289	65	12	16	36	1
DEATH RATE		2.0	38.5	10.2	1.2	29.1

RESIDENTS	320-322	77	17	7	51	2
DEATH RATE		2.4	54.5	4.5	1.7	58.1

RESIDENTS	323-389	337	23	51	260	3
DEATH RATE		10.4	73.7	32.6	8.5	87.2

RESIDENTS	460-465	37	1	4	31	1
DEATH RATE		1.1	3.2	2.6	1.0	29.1

BRONCHI T I S AND BRONCHI OLI T I S	466, 490-491	89	6	13	70	
RESI DENTS		2. 7	19. 2	8. 3	2. 3	
DEATH RATE						
PNEUMONI A AND I NFLUENZA	480-487	366	44	72	249	1
RESI DENTS		11. 3	141. 0	46. 0	8. 2	29. 1
DEATH RATE						
PNEUMONI A	480-486	355	43	70	241	1
RESI DENTS		11. 0	137. 8	44. 7	7. 9	29. 1
DEATH RATE						

8 APR 1996

PAGE 7

TABLE 73

UNITED STATES, BIRTH COHORT OF 1991

(LIVE BIRTHS AND INFANT DEATHS ARE BY STATE OF RESIDENCE AT BIRTH EXCEPT WHERE NOTED. UNITED STATES EXCLUDES PUERTO RICO AND THE VIRGIN ISLANDS. INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS.)

(RATES ARE PER 100,000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE.)

RACE OF MOTHER = WHITE

INFANT MORTALITY RATES BY CAUSE OF DEATH AND WEIGHT

		ALL BIRTH WEIGHTS	LESS THAN 1500 GM	1500- 2499 GM	2500 GM +	NOT STATED
I NFLUENZA	487	11	1	2	8	
RESI DENTS		0. 3	3. 2	1. 3	0. 3	
DEATH RATE						
REMAI NDER RESP. SYSTEM DI SEASES	470-478, 492-519	221	53	36	132	
RESI DENTS		6. 8	169. 9	23. 0	4. 3	
DEATH RATE						
ABDOM. CAVI TY HERNIA & INTES. OBSTR.	550-553, 560	52	5	12	33	2
RESI DENTS						

DEATH RATE		1. 6	16. 0	7. 7	1. 1	58. 1
GASTR. , DUODENI TI S, ENTERI TI S, COLI TI S	535, 555-558	73	22	14	37	
RESI DENTS		2. 3	70. 5	8. 9	1. 2	
DEATH RATE						
REMAI NDER DI GESTI VE SYSTEM DI SEASES	520. . . 579	107	34	20	51	2
RESI DENTS		3. 3	109. 0	12. 8	1. 7	58. 1
DEATH RATE						
CONGENI TAL ANOMALI ES	740-759	5720	1109	1718	2762	131
RESI DENTS		176. 5	3554. 5	1096. 7	90. 6	3807. 0
DEATH RATE						
ANENCEPHALUS & SI M. ANOMALI ES	740	397	142	125	101	29
RESI DENTS		12. 2	455. 1	79. 8	3. 3	842. 8
DEATH RATE						
SPI NA BI FI DA	741	37	10	6	20	1
RESI DENTS		1. 1	32. 1	3. 8	0. 7	29. 1
DEATH RATE						
CONGENI TAL HYDROCEPHALUS	742. 3	133	34	23	75	1
RESI DENTS		4. 1	109. 0	14. 7	2. 5	29. 1
DEATH RATE						
OTHER CONGEN. ANOMALI ES CNS & EYE	742. 0. . . 743	229	32	77	113	7
RESI DENTS		7. 1	102. 6	49. 2	3. 7	203. 4
DEATH RATE						

1/ TOTAL I NCLUDES RACES OTHER THAN WHITE AND BLACK

TABLE 73

UNITED STATES, BIRTH COHORT OF 1991

(LIVE BIRTHS AND INFANT DEATHS ARE BY STATE OF RESIDENCE AT BIRTH EXCEPT WHERE NOTED. UNITED STATES EXCLUDES PUERTO RICO AND THE VIRGIN ISLANDS. INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS.)

(RATES ARE PER 100,000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE.)

RACE OF MOTHER = WHITE

INFANT MORTALITY RATES BY CAUSE OF DEATH AND WEIGHT

		ALL BIRTH WEIGHTS	LESS THAN 1500 GM	1500- 2499 GM	2500 GM +	NOT STATED
RESIDENTS	CONGENITAL ANOMALIES OF HEART 745-746	1756	93	324	1322	17
DEATH RATE		54.2	298.1	206.8	43.3	494.0
RESIDENTS	OTHER CONGEN. ANOMALIES CIRCULATORY SYS. 747	350	30	74	242	4
DEATH RATE		10.8	96.2	47.2	7.9	116.2
RESIDENTS	CONGEN. ANOMALIES OF RESPIRATORY SYS. 748	762	308	223	210	21
DEATH RATE		23.5	987.2	142.3	6.9	610.3
RESIDENTS	CONGEN. ANOMALIES OF DIGESTIVE SYS. 749-751	84	12	27	45	
DEATH RATE		2.6	38.5	17.2	1.5	
RESIDENTS	CONGEN. ANOMALIES OF GENITOURINARY SYS 752-753	342	88	169	77	8
DEATH RATE		10.6	282.1	107.9	2.5	232.5
	CONGEN. ANOMALIES MUSCULOSKELETAL SYS. 754-756	385	38	142	188	17

RESIDENTS		11.9	121.8	90.6	6.2	494.0
DEATH RATE						
DOWN' S SYNDROME	758.0	94	20	29	42	3
RESIDENTS		2.9	64.1	18.5	1.4	87.2
DEATH RATE						
OTHER CHROMOSOMAL ANOMALIES	758.1-758.9	673	161	327	170	15
RESIDENTS		20.8	516.0	208.7	5.6	435.9
DEATH RATE						
OTHER & UNSPEC. CONGEN. ANOMALIES	744, 757, 759	478	141	172	157	8
RESIDENTS		14.7	451.9	109.8	5.1	232.5
DEATH RATE						
CERTAIN COND. ORIG. IN PERINATAL PERIOD	760-779	9394	7263	641	954	536
RESIDENTS		289.8	23278.8	409.2	31.3	15576.9
DEATH RATE						
AFFECTED BY MATERNAL COND. UNREL. TO PREG.	760	79	49	9	15	6
RESIDENTS		2.4	157.1	5.7	0.5	174.4
DEATH RATE						
AFFECTED BY MATERNAL PREG. COMPLICATIONS	761	947	827	17	24	79
RESIDENTS		29.2	2650.6	10.9	0.8	2295.8
DEATH RATE						
AFFECTED BY COMPL. PLACENTA, CORD, MEMBRANES	762	620	455	33	68	64
RESIDENTS		19.1	1458.3	21.1	2.2	1859.9
DEATH RATE						
AFFECTED BY OTHER COMPL. OF LABOR & DEL.	763	53	22	3	24	4
RESIDENTS		1.6	70.5	1.9	0.8	116.2
DEATH RATE						
SLOW FETAL GROWTH & FETAL MALNUTRITION	764	19	18	1		
RESIDENTS		0.6	57.7	0.6		
DEATH RATE						
DISORDERS REL. TO SHORT GES. & LBW	765	2035	1782	20	27	206
RESIDENTS		62.8	5711.5	12.8	0.9	5986.6
DEATH RATE						
DISORDERS REL. TO LONG GES. & HIGH BW	766					
RESIDENTS						
DEATH RATE						

BIRTH TRAUMA	767	130	70	23	31	6
RESIDENTS		4.0	224.4	14.7	1.0	174.4
DEATH RATE						

INTRAUTERINE HYPOXIA & BIRTH ASPHYXIA	768	398	111	56	215	16
RESIDENTS		12.3	355.8	35.7	7.0	465.0
DEATH RATE						

FETAL DISTRESS IN LIVEBORN INF.	768.2-768.4
RESIDENTS	

8 APR 1996

PAGE 9

TABLE 73

UNITED STATES, BIRTH COHORT OF 1991

(LIVE BIRTHS AND INFANT DEATHS ARE BY STATE OF RESIDENCE AT BIRTH EXCEPT WHERE NOTED. UNITED STATES EXCLUDES PUERTO RICO AND THE VIRGIN ISLANDS. INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS.)

(RATES ARE PER 100,000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE.)

RACE OF MOTHER = WHITE

INFANT MORTALITY RATES BY CAUSE OF DEATH AND WEIGHT

		ALL BIRTH WEIGHTS	LESS THAN 1500 GM	1500-2499 GM	2500 GM +	NOT STATED
DEATH RATE						
BIRTH ASPHYXIA	768.5-768.9					
RESIDENTS						
DEATH RATE						
RESPIRATORY DISTRESS SYNDROME	769	1557	1363	104	60	30
RESIDENTS		48.0	4368.6	66.4	2.0	871.8
DEATH RATE						

OTHER RESPIRATORY COND. OF NEWBORN	770	1496	1206	82	141	67
RESIDENTS		46.2	3865.4	52.3	4.6	1947.1
DEATH RATE						
INFECTIONS SPEC. TO PERINATAL PERIOD	771	530	272	110	140	8
RESIDENTS		16.4	871.8	70.2	4.6	232.5
DEATH RATE						
NEONATAL HEMORRHAGE	772	199	157	14	20	8
RESIDENTS		6.1	503.2	8.9	0.7	232.5
DEATH RATE						
HEMOLYTIC DISEASE OF NEWBORN	773-774	32	11	6	14	1
RESIDENTS		1.0	35.3	3.8	0.5	29.1
DEATH RATE						
SYNDR. "INFANT OF DIABETIC MOTHER"	775.0-775.1	7	3		4	
RESIDENTS		0.2	9.6		0.1	
DEATH RATE						
HEMORRHAGIC DISEASE OF NEWBORN	776.0	2	1		1	
RESIDENTS		0.1	3.2		0.0	
DEATH RATE						
ALL OTHER COND ORIG PERINATAL PER	775.2...779	1290	916	163	170	41
RESIDENTS		39.8	2935.9	104.0	5.6	1191.5
DEATH RATE						
SYMPTOMS, SIGNS, & ILL-DEFINED COND.	780-799	3990	150	541	3286	13
RESIDENTS		123.1	480.8	345.3	107.7	377.8
DEATH RATE						

1/ TOTAL INCLUDES RACES OTHER THAN WHITE AND BLACK

TABLE 73

UNITED STATES, BIRTH COHORT OF 1991

(LIVE BIRTHS AND INFANT DEATHS ARE BY STATE OF RESIDENCE AT BIRTH EXCEPT WHERE NOTED. UNITED STATES EXCLUDES PUERTO RICO AND THE VIRGIN ISLANDS. INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS.)

(RATES ARE PER 100,000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE.)

RACE OF MOTHER = WHITE

INFANT MORTALITY RATES BY CAUSE OF DEATH AND WEIGHT

			ALL BIRTH	LESS THAN	1500-	NOT	
			WEIGHTS	1500 GM	2499 GM	2500 GM +	STATED
RESIDENTS	SUDDEN INFANT DEATH SYNDROME	798.0	3482	96	471	2909	6
	DEATH RATE		107.4	307.7	300.7	95.4	174.4
RESIDENTS	SYMP, SIGNS & ALL OTHER ILL-DEF COND	780...799	508	54	70	377	7
	DEATH RATE		15.7	173.1	44.7	12.4	203.4
RESIDENTS	ACCIDENTS AND ADVERSE EFFECTS	E800-E949	565	25	55	480	5
	DEATH RATE		17.4	80.1	35.1	15.7	145.3
RESIDENTS	INHAL, INGES. CAUSING RESP TRACT OBST	E911-E912	82	8	9	64	1
	DEATH RATE		2.5	25.6	5.7	2.1	29.1
RESIDENTS	ACCIDENTAL MECHANICAL SUFFOCATION	E913	139	3	17	119	
	DEATH RATE		4.3	9.6	10.9	3.9	
RESIDENTS	OTHER ACCID. CAUSES & ADVERSE EFF	E800...E949	344	14	29	297	4
			10.6	44.9	18.5	9.7	116.2

DEATH RATE

HOMI CI DE	E960-E969	191	7	16	163	5
RESI DENTS		5. 9	22. 4	10. 2	5. 3	145. 3
DEATH RATE						

CHI LD BATTERI NG & OTHER MALTREATMENT	E967	80		8	72	
RESI DENTS		2. 5		5. 1	2. 4	
DEATH RATE						

OTHER HOMI CI DE	E960-E966, E968-E969	111	7	8	91	5
RESI DENTS		3. 4	22. 4	5. 1	3. 0	145. 3
DEATH RATE						

ALL OTHER CAUSES	RESI DUAL	1007	231	179	582	15
RESI DENTS		31. 1	740. 4	114. 3	19. 1	435. 9
DEATH RATE						

1/ TOTAL I INCLUDES RACES OTHER THAN WHITE AND BLACK

TABLE 73

UNITED STATES, BIRTH COHORT OF 1991

(LIVE BIRTHS AND INFANT DEATHS ARE BY STATE OF RESIDENCE AT BIRTH EXCEPT WHERE NOTED. UNITED STATES EXCLUDES PUERTO RICO AND THE VIRGIN ISLANDS. INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS.)

(RATES ARE PER 100,000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE.)

RACE OF MOTHER = BLACK

INFANT MORTALITY RATES BY CAUSE OF DEATH AND WEIGHT

		ALL BIRTH	LESS THAN	1500-		NOT
		WEIGHTS	1500 GM	2499 GM	2500 GM +	STATED
RESIDENTS	LIVE	682669	20197	72196	589150	1126
	BIRTHS	100000.0	100000.0	100000.0	100000.0	100000.0
DEATH RATE						
RESIDENTS	ALL CAUSES	11321	6256	1519	3134	412
	DEATH RATE	1658.3	30974.9	2104.0	532.0	36589.7
RESIDENTS	CERTAIN INTESTINAL INFECTIONS	008-009	64	49	5	10
	DEATH RATE		9.4	242.6	6.9	1.7
RESIDENTS	WHOOPING COUGH	033	1			1
	DEATH RATE		0.1			0.2
RESIDENTS	MENINGOCOCCAL INFECTION	036	6	1		5
	DEATH RATE		0.9	1.4		0.8
RESIDENTS	SEPTICEMIA	038	107	59	11	36
	DEATH RATE		15.7	292.1	15.2	6.1
						88.8

DEATH RATE

VI RAL DI SEASES	045-079	35	6	14	15
RESI DENTS		5. 1	29. 7	19. 4	2. 5

DEATH RATE

CONGENI TAL SYPHI LI S	090	21	10	9	2
RESI DENTS		3. 1	49. 5	12. 5	0. 3

DEATH RATE

REMAI NDER I NFECT. & PARASI TIC DI S.	001. . . 139	125	47	28	50
RESI DENTS		18. 3	232. 7	38. 8	8. 5

DEATH RATE

MALI GNANT NEOPLASMS	140-208	15	1	3	11
RESI DENTS		2. 2	5. 0	4. 2	1. 9

DEATH RATE

BENI GN NEOPLASMS	210-239	14		2	12
RESI DENTS		2. 1		2. 8	2. 0

DEATH RATE

DI SEASES OF THYMUS GLAND	254
RESI DENTS	

DEATH RATE

CYSTI C FI BROSI S	277. 0
RESI DENTS	

DEATH RATE

DI SEASES OF BLOOD	280-289	28	5	9	14
RESI DENTS		4. 1	24. 8	12. 5	2. 4

DEATH RATE

MENI NGI TI S	320-322	40	4	16	20
RESI DENTS		5. 9	19. 8	22. 2	3. 4

DEATH RATE

OTHER DI SEASES OF NERVOUS SYSTEM	323-389	99	17	30	50	2
RESI DENTS		14. 5	84. 2	41. 6	8. 5	177. 6

DEATH RATE

ACUTE UPPER RESP. I NFECTIONS	460-465	11	1	3	7
RESI DENTS		1. 6	5. 0	4. 2	1. 2

DEATH RATE

BRONCHI T I S AND BRONCHI OLI T I S	466, 490-491	38	6	11	21	
RESI DENTS		5. 6	29. 7	15. 2	3. 6	
DEATH RATE						
PNEUMONI A AND I NFLUENZA	480-487	209	62	37	109	1
RESI DENTS		30. 6	307. 0	51. 2	18. 5	88. 8
DEATH RATE						
PNEUMONI A	480-486	207	61	37	108	1
RESI DENTS		30. 3	302. 0	51. 2	18. 3	88. 8
DEATH RATE						

8 APR 1996

PAGE 12

TABLE 73

UNITED STATES, BIRTH COHORT OF 1991

(LIVE BIRTHS AND INFANT DEATHS ARE BY STATE OF RESIDENCE AT BIRTH EXCEPT WHERE NOTED. UNITED STATES EXCLUDES PUERTO RICO AND THE VIRGIN ISLANDS. INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS.)

(RATES ARE PER 100,000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE.)

RACE OF MOTHER = BLACK

INFANT MORTALITY RATES BY CAUSE OF DEATH AND WEIGHT

		ALL BIRTH WEIGHTS	LESS THAN 1500 GM	1500- 2499 GM	2500 GM +	NOT STATED
I NFLUENZA	487	2	1		1	
RESI DENTS		0. 3	5. 0		0. 2	
DEATH RATE						
REMAI NDER RESP. SYSTEM DI SEASES	470-478, 492-519	117	49	26	42	
RESI DENTS		17. 1	242. 6	36. 0	7. 1	
DEATH RATE						
ABDOM. CAVI TY HERNI A & INTES. OBSTR.	550-553, 560	29	6	9	14	
RESI DENTS						

DEATH RATE		4.2	29.7	12.5	2.4	
GASTR. , DUODENITIS, ENTERITIS, COLITIS	535, 555-558	52	22	7	23	
RESIDENTS		7.6	108.9	9.7	3.9	
DEATH RATE						
REMAINDER DIGESTIVE SYSTEM DISEASES	520. . . 579	66	34	9	21	2
RESIDENTS		9.7	168.3	12.5	3.6	177.6
DEATH RATE						
CONGENITAL ANOMALIES	740-759	1410	329	444	610	27
RESIDENTS		206.5	1629.0	615.0	103.5	2397.9
DEATH RATE						
ANENCEPHALUS & SIM. ANOMALIES	740	46	25	16	5	
RESIDENTS		6.7	123.8	22.2	0.8	
DEATH RATE						
SPI N A B I F I D A	741	9	3	2	4	
RESIDENTS		1.3	14.9	2.8	0.7	
DEATH RATE						
CONGENITAL HYDROCEPHALUS	742.3	34	8	8	18	
RESIDENTS		5.0	39.6	11.1	3.1	
DEATH RATE						
OTHER CONGEN. ANOMALIES CNS & EYE	742.0. . . 743	76	15	29	31	1
RESIDENTS		11.1	74.3	40.2	5.3	88.8
DEATH RATE						

1/ TOTAL INCLUDES RACES OTHER THAN WHITE AND BLACK

TABLE 73

UNITED STATES, BIRTH COHORT OF 1991

(LIVE BIRTHS AND INFANT DEATHS ARE BY STATE OF RESIDENCE AT BIRTH EXCEPT WHERE NOTED. UNITED STATES EXCLUDES PUERTO RICO AND THE VIRGIN ISLANDS. INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS.)

(RATES ARE PER 100,000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE.)

RACE OF MOTHER = BLACK

INFANT MORTALITY RATES BY CAUSE OF DEATH AND WEIGHT

			ALL BIRTH WEIGHTS	LESS THAN 1500 GM	1500- 2499 GM	2500 GM +	NOT STATED
RESIDENTS	CONGENITAL ANOMALIES OF HEART	745-746	448	49	107	290	2
DEATH RATE			65.6	242.6	148.2	49.2	177.6
RESIDENTS	OTHER CONGEN. ANOMALIES CIRCULATORY SYS.	747	112	21	27	63	1
DEATH RATE			16.4	104.0	37.4	10.7	88.8
RESIDENTS	CONGEN. ANOMALIES OF RESPIRATORY SYS.	748	217	94	48	64	11
DEATH RATE			31.8	465.4	66.5	10.9	976.9
RESIDENTS	CONGEN. ANOMALIES OF DIGESTIVE SYS.	749-751	36	6	16	11	3
DEATH RATE			5.3	29.7	22.2	1.9	266.4
RESIDENTS	CONGEN. ANOMALIES OF GENITOURINARY SYS	752-753	67	20	32	14	1
DEATH RATE			9.8	99.0	44.3	2.4	88.8
RESIDENTS	CONGEN. ANOMALIES MUSCULOSKELETAL SYS.	754-756	89	14	37	36	2
			13.0	69.3	51.2	6.1	177.6

DEATH RATE

DOWN' S SYNDROME	758.0	16	7	5	4	
RESI DENTS		2.3	34.7	6.9	0.7	

DEATH RATE

OTHER CHROMOSOMAL ANOMALIES	758.1-758.9	145	27	76	39	3
RESI DENTS		21.2	133.7	105.3	6.6	266.4

DEATH RATE

OTHER & UNSPEC. CONGEN. ANOMALIES	744, 757, 759	115	40	41	31	3
RESI DENTS		16.8	198.0	56.8	5.3	266.4

DEATH RATE

CERTAIN COND. ORIG. IN PERINATAL PERIOD	760-779	6175	5197	304	315	359
RESI DENTS		904.5	25731.5	421.1	53.5	31882.8

DEATH RATE

AFFECTED BY MATERNAL COND. UNREL. TO PREG.	760	93	65	14	8	6
RESI DENTS		13.6	321.8	19.4	1.4	532.9

DEATH RATE

AFFECTED BY MATERNAL PREG. COMPLICATIONS	761	510	442	7	6	55
RESI DENTS		74.7	2188.4	9.7	1.0	4884.5

DEATH RATE

AFFECTED BY COMPL. PLACENTA, CORD, MEMBRANES	762	267	216	20	11	20
RESI DENTS		39.1	1069.5	27.7	1.9	1776.2

DEATH RATE

AFFECTED BY OTHER COMPL. OF LABOR & DEL.	763	26	13	7	5	1
RESI DENTS		3.8	64.4	9.7	0.8	88.8

DEATH RATE

SLOW FETAL GROWTH & FETAL MALNUTRITION	764	9	8		1	
RESI DENTS		1.3	39.6		0.2	

DEATH RATE

DISORDERS REL. TO SHORT GES. & LBW	765	1851	1656	11	9	175
RESI DENTS		271.1	8199.2	15.2	1.5	15541.7

DEATH RATE

DISORDERS REL. TO LONG GES. & HIGH BW	766					
RESI DENTS						

DEATH RATE

BIRTH TRAUMA	767	60	43	6	10	1
RESIDENTS		8.8	212.9	8.3	1.7	88.8
DEATH RATE						
INTRAUTERINE HYPOXIA & BIRTH ASPHYXIA	768	181	81	27	59	14
RESIDENTS		26.5	401.0	37.4	10.0	1243.3
DEATH RATE						
FETAL DISTRESS IN LIVEBORN INF.	768.2-768.4					
RESIDENTS						
DEATH RATE						

PAGE 14

8 APR 1996

TABLE 73

UNITED STATES, BIRTH COHORT OF 1991

(LIVE BIRTHS AND INFANT DEATHS ARE BY STATE OF RESIDENCE AT BIRTH EXCEPT WHERE NOTED. UNITED STATES EXCLUDES PUERTO RICO AND THE VIRGIN ISLANDS. INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS.)

(RATES ARE PER 100,000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE.)

RACE OF MOTHER = BLACK

INFANT MORTALITY RATES BY CAUSE OF DEATH AND WEIGHT

		ALL BIRTH WEIGHTS	LESS THAN 1500 GM	1500- 2499 GM	2500 GM +	NOT STATED
BIRTH ASPHYXIA	768.5-768.9					
RESIDENTS						
DEATH RATE						
RESPIRATORY DISTRESS SYNDROME	769	863	800	40	15	8
RESIDENTS		126.4	3961.0	55.4	2.5	710.5
DEATH RATE						
OTHER RESPIRATORY COND. OF NEWBORN	770	1020	870	44	72	34
RESIDENTS						

DEATH RATE		149.4	4307.6	60.9	12.2	3019.5	
RESIDENTS	INFECTIONS SPEC. TO PERINATAL PERIOD	771	299	204	39	54	2
DEATH RATE		43.8	1010.1	54.0	9.2	177.6	
RESIDENTS	NEONATAL HEMORRHAGE	772	116	104	6	4	2
DEATH RATE		17.0	514.9	8.3	0.7	177.6	
RESIDENTS	HEMOLYTIC DISEASE OF NEWBORN	773-774	14	1	6	7	
DEATH RATE		2.1	5.0	8.3	1.2		
RESIDENTS	SYNDR. "INFANT OF DIABETIC MOTHER"	775.0-775.1	3		1	2	
DEATH RATE		0.4		1.4	0.3		
RESIDENTS	HEMORRHAGIC DISEASE OF NEWBORN	776.0	2	2			
DEATH RATE		0.3	9.9				
RESIDENTS	ALL OTHER COND ORIG PERINATAL PER	775.2...779	861	692	76	52	41
DEATH RATE		126.1	3426.3	105.3	8.8	3641.2	
RESIDENTS	SYMPTOMS, SIGNS, & ILL-DEFINED COND.	780-799	1814	139	400	1268	7
DEATH RATE		265.7	688.2	554.0	215.2	621.7	

1/ TOTAL INCLUDES RACES OTHER THAN WHITE AND BLACK

TABLE 73

UNITED STATES, BIRTH COHORT OF 1991

(LIVE BIRTHS AND INFANT DEATHS ARE BY STATE OF RESIDENCE AT BIRTH EXCEPT WHERE NOTED. UNITED STATES EXCLUDES PUERTO RICO AND THE VIRGIN ISLANDS. INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS.)

(RATES ARE PER 100,000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE.)

RACE OF MOTHER = BLACK

INFANT MORTALITY RATES BY CAUSE OF DEATH AND WEIGHT

			ALL BIRTH	LESS THAN	1500-		NOT
			WEIGHTS	1500 GM	2499 GM	2500 GM +	STATED
RESIDENTS	SUDDEN INFANT DEATH SYNDROME	798.0	1467	89	323	1053	2
	DEATH RATE		214.9	440.7	447.4	178.7	177.6
RESIDENTS	SYMP, SIGNS & ALL OTHER ILL-DEF COND	780...799	347	50	77	215	5
	DEATH RATE		50.8	247.6	106.7	36.5	444.0
RESIDENTS	ACCIDENTS AND ADVERSE EFFECTS	E800-E949	229	19	25	184	1
	DEATH RATE		33.5	94.1	34.6	31.2	88.8
RESIDENTS	INHAL, INGES. CAUSING RESP TRACT OBST	E911-E912	30	3	6	21	
	DEATH RATE		4.4	14.9	8.3	3.6	
RESIDENTS	ACCIDENTAL MECHANICAL SUFFOCATION	E913	70	2	4	64	
	DEATH RATE		10.3	9.9	5.5	10.9	
RESIDENTS	OTHER ACCID. CAUSES & ADVERSE EFF	E800...E949	129	14	15	99	1
			18.9	69.3	20.8	16.8	88.8

DEATH RATE

HOMI CI DE	E960-E969	122	6	23	88	5
RESI DENTS		17. 9	29. 7	31. 9	14. 9	444. 0
DEATH RATE						

CHI LD BATTERI NG & OTHER MALTREATMENT	E967	45	3	6	36	
RESI DENTS		6. 6	14. 9	8. 3	6. 1	
DEATH RATE						

OTHER HOMI CI DE	E960-E966, E968-E969	77	3	17	52	5
RESI DENTS		11. 3	14. 9	23. 5	8. 8	444. 0
DEATH RATE						

ALL OTHER CAUSES	RESI DUAL	494	188	93	206	7
RESI DENTS		72. 4	930. 8	128. 8	35. 0	621. 7
DEATH RATE						

1/ TOTAL I INCLUDES RACES OTHER THAN WHI TE AND BLACK